

BR

06171-105C

Select

**DELPHION**

RESEARCH

PRODUCTS

INSIDE DELPHION

Log In | My Account | Search

My Account

Search: Quick/Number Boolean Advanced Der

## The Delphion Integrated View

Get Now:  PDF | [More choices...](#)Tools: Add to Work File:  Create new WorkView: [INPADOC](#) | Jump to: [Top](#) Go to: [Derwent](#) Email

**>Title:** [JP06228186A2: 2'-DEOXY-@\(3754/24\)2'S\)-ALKYLPYRIMIDINE NUCL DERIVATIVE](#)

**Derwent Title:** New 2'-deoxy-(2'S)-alkyl:pyrimidine nucleoside derivs. - are antiviral agents against e.g. herpes simplex. [\[Derwent Record\]](#)

**Country:** JP Japan

**Kind:** A



**Inventor:** MATSUDA AKIRA;  
SHUTO SATOSHI;  
BABA MASANORI;  
SHIGETA SHIRO;  
SASAKI TAKUMA;

**Assignee:** [YAMASA SHOYU CO LTD](#)  
[News, Profiles, Stocks and More about this company](#)

**Published / Filed:** 1994-08-16 / 1993-01-29

**Application Number:** [JP1993000034495](#)

**IPC Code:** [C07H 19/06; A61K 31/70;](#)

**Priority Number:** 1993-01-29 [JP1993000034495](#)

**Abstract:** PURPOSE: To obtain the subject new derivative, composed of a 2'-deoxy-(2'S)- alkylpyrimidine nucleoside derivative, having excellent antiviral activity, good in absorbability, solubility and stability with hardly any side effects and useful as an antiviral agent, etc.

CONSTITUTION: The 2'-position of the saccharide part in a pyrimidine nucleoside derivative expressed by formula I (R1 is amino or OH; Z is protecting group) is alkylated with an alkylating agent (e.g. methylmagnesium bromide) to provide a compound expressed by formula II (R3 is lower alkyl). The hydroxyl group at the 2'-position of the saccharide part in the produced compound expressed by formula II is then acylated with an acylating agent (e.g. methyloxalyl chloride) and subsequently reduced with a reducing agent (e.g. tributyltin hydride) to afford a compound expressed by formula III. The basic part at the 5-position thereof is further halogenated with a halogenating agent (e.g. N-iodosuccinimide) and the protecting group of the saccharide part is then released. The 5'-position of the saccharide part, as necessary, is subsequently phosphorylated to afford the objective nucleoside derivative expressed by formula IV (R2 is halogen; R4 is H or phosphoric acid residue).

COPYRIGHT: (C)1994,JPO&Japio

Family: None


Forward  
References:

[Go to Result Set: Forward references \(2\)](#)

PDF	Patent	Pub.Date	Inventor	Assignee	Title
	<a href="#">US6914054</a>	2005-07-05	Sommadossi; Jean-Pierre	Idenix Pharmaceuticals, Inc.	Methods and compositions for treating hepatitis C
	<a href="#">US5627053</a>	1997-05-06	Usman; Nassim	Ribozyme Pharmaceuticals, Inc.	2'deoxy-2'-alkylpyrimidine nucleoside containing nucleic acid

Other Abstract  
Info:

CHEMABS 122(03)031836U CAN122(03)031836U [DERABS C94-299800](#) [DERC94-29](#)  
JAPABS 180601C000160 JAP180601C000160



[Nominate this for the Gallery](#)

THOMSON

Copyright © 1997-2005 The Thomson Company. All rights reserved.  
[Subscriptions](#) | [Web Seminars](#) | [Privacy](#) | [Terms & Conditions](#) | [Site Map](#) | [Contact Us](#)